



FEDERACIÓN ESPAÑOLA DE BOLOS
Edificio Casa de Cantabria
C/ Pío Baroja nº 10
28009 Madrid
www.febolos.es
Q 2878009 F



CIRCULAR
Registro de Salida nº 00943

FECHA:	20 de Octubre de 2026	CIRCULAR Nº	6.242
A:	FF.AA		

ASUNTO: PATRONES DE JUEGO COPA PRESIDENTE 2026 , FEMENINA BOWLING CHAMARTIN
--

PATRONES DE JUEGO COPA PRESIDENTE 2026
Femenina, Bowling Chamartin

COPPREFEM26

Conditioner: Logc


Cleaner: Judge

Zone Configuration



Cleaner Stop

53



Zone 1
Zone 2
Zone 3
Zone 4
Zone 5
Zone 6
Zone 7
Zone 8

Boards

Volume: 28.21

Mode: Clean and Condition

Speed: Slow

Start Cleaner Spray: 0 feet


Start Squeegee: 0 feet

Start Conditioning: 6 Inches

Split Pattern: No

Zone 1 Left: 43.60 2.06 1 Right: 44.60 2.06 1 Center: 30.00	Zone 2 Left: 43.60 2.06 1 Right: 44.60 2.06 1 Center: 30.00	Zone 3 Left: 36.00 2.06 1 Right: 36.00 2.06 1 Center: 37.00	Zone 4 Left: 36.00 2.06 1 Right: 36.00 2.06 1 Center: 30.00
Zone 5 Left: 33.40 2.06 1 Right: 33.40 2.06 1 Center: 33.00	Zone 6 Left: 17.20 2.72 1 Right: 17.20 2.72 1 Center: 37.00	Zone 7 Left: 30.00 2.02 1 Right: 30.00 2.02 1 Center: 30.00	Zone 8 Left: 1.00 1.00 1 Right: 1.00 1.00 1 Center: 1.00

Volume by Board



1ª Masculina, Ozone Bowling X-Madrid



COPA PRESIDENTE 2026



Oil Pattern Distance
Forward Oil Total

42
20.97 mL

Reverse Brush Drop
Reverse Oil Total


42
7.56 mL

Oil Per Board
Volume Oil Total


45 ul
28.53 mL

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	14	14B	0.00	3.90	3.90	6000
2	4L	5R	2	14	64	3.90	9.80	3.90	2880
3	5L	6R	3	18	90	9.80	17.40	7.60	4050
4	6L	7R	2	18	32	17.40	22.50	5.10	2340
5	10L	8R	2	18	46	22.50	27.60	5.10	2070
6	6L	6R	1	18	29	27.60	30.10	2.50	1305
7	2L	2R	1	22	37	30.10	33.20	3.10	1665
8	2L	2R	0	22	0	33.20	42.00	8.80	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	42.00	24.00	-18.00	0
2	9L	9R	2	22	46	24.00	17.00	-6.20	2070
3	7L	7R	2	22	34	17.00	11.00	-6.20	2430
4	5L	5R	1	18	31	11.00	9.10	-2.30	1395
5	2L	2R	1	14	37	9.10	7.20	-1.90	1065
6	2L	2R	0	14	0	7.20	0.00	-7.20	0



Item	5-7L 10L-10R	8-12L 10L-10R	13L-17L 10L-10R	18L-18R 17R-12R	19L-18R 12R-8R	19L-18R 7R-3R
Description	Outside/Middle	Middle/Middle	Inside/Middle	Middle/Inside	Middle/Middle	Middle/Outside
Track Zone Ratio	1.04	1.06	1	1	1.02	2.08



2ª y 3ª Masculina, Ozone Bowling Zaragoza


File Name : SPORTWB18.hvo
Program Number : 5

HVO Summit

QUBICA AMF

Name	Montreal 41																												
BUFFER	Mode :	Double																											
	Distance - Ft.	<table border="1"> <tr> <th>Forward</th> <th>Reverse</th> </tr> <tr> <td>41.0</td> <td>41.0</td> </tr> </table>	Forward	Reverse	41.0	41.0																							
Forward	Reverse																												
41.0	41.0																												
OIL	Mode :	Double																											
	Distances - Ft.	<table border="1"> <tr> <th>Forward</th> <th>Reverse</th> </tr> <tr> <td>30.0</td> <td>34.0</td> </tr> <tr> <td>30.0</td> <td>35.0</td> </tr> <tr> <td>35.0</td> <td>36.0</td> </tr> <tr> <td>35.0</td> <td>36.0</td> </tr> <tr> <td>32.0</td> <td>35.0</td> </tr> <tr> <td>30.0</td> <td>34.0</td> </tr> </table>	Forward	Reverse	30.0	34.0	30.0	35.0	35.0	36.0	35.0	36.0	32.0	35.0	30.0	34.0													
Forward	Reverse																												
30.0	34.0																												
30.0	35.0																												
35.0	36.0																												
35.0	36.0																												
32.0	35.0																												
30.0	34.0																												
	Transfer Rate %	<table border="1"> <tr> <td>40</td> <td>30</td> </tr> </table>	40	30																									
40	30																												
SPEED SETTINGS:		<table border="1"> <tr> <th colspan="2">Pass 1</th> <th colspan="2">Pass 2</th> </tr> <tr> <th>Forward</th> <th>Reverse</th> <th>Forward</th> <th>Reverse</th> </tr> <tr> <td>Medium</td> <td>Medium</td> <td>Medium</td> <td>Medium</td> </tr> <tr> <td>Medium</td> <td>Medium</td> <td>Medium</td> <td>Medium</td> </tr> <tr> <td>Medium</td> <td>Medium</td> <td>Medium</td> <td>Medium</td> </tr> </table>	Pass 1		Pass 2		Forward	Reverse	Forward	Reverse	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium							
Pass 1		Pass 2																											
Forward	Reverse	Forward	Reverse																										
Medium	Medium	Medium	Medium																										
Medium	Medium	Medium	Medium																										
Medium	Medium	Medium	Medium																										
		<table border="1"> <tr> <th colspan="2">Pass 1</th> <th colspan="2">Pass 2</th> </tr> <tr> <th>Forward</th> <th>Reverse</th> <th>Forward</th> <th>Reverse</th> </tr> <tr> <td>15.0</td> <td>10.0</td> <td>18.0</td> <td>15.0</td> </tr> <tr> <td>25.0</td> <td>20.0</td> <td>25.0</td> <td>20.0</td> </tr> <tr> <td>18.0</td> <td>15.0</td> <td>15.0</td> <td>10.0</td> </tr> <tr> <td>80</td> <td>100</td> <td></td> <td></td> </tr> </table>	Pass 1		Pass 2		Forward	Reverse	Forward	Reverse	15.0	10.0	18.0	15.0	25.0	20.0	25.0	20.0	18.0	15.0	15.0	10.0	80	100					
Pass 1		Pass 2																											
Forward	Reverse	Forward	Reverse																										
15.0	10.0	18.0	15.0																										
25.0	20.0	25.0	20.0																										
18.0	15.0	15.0	10.0																										
80	100																												
		<table border="1"> <tr> <td>Short Run</td> <td>Mode</td> <td>Off</td> </tr> <tr> <td>Turn-around</td> <td>Distance</td> <td>0.0 Ft.</td> </tr> <tr> <td>Stripping</td> <td>Mode</td> <td>Full</td> </tr> <tr> <td>Start</td> <td>Distance</td> <td>0.0 Ft.</td> </tr> <tr> <td>Cleaner Pad</td> <td>Distance</td> <td>61.5 Ft.</td> </tr> <tr> <td>Vacuum</td> <td></td> <td>On Start</td> </tr> <tr> <td>Cleaner Flow</td> <td></td> <td></td> </tr> <tr> <td>In oil</td> <td></td> <td>100 %</td> </tr> <tr> <td>Back lane</td> <td></td> <td>25 %</td> </tr> </table>	Short Run	Mode	Off	Turn-around	Distance	0.0 Ft.	Stripping	Mode	Full	Start	Distance	0.0 Ft.	Cleaner Pad	Distance	61.5 Ft.	Vacuum		On Start	Cleaner Flow			In oil		100 %	Back lane		25 %
Short Run	Mode	Off																											
Turn-around	Distance	0.0 Ft.																											
Stripping	Mode	Full																											
Start	Distance	0.0 Ft.																											
Cleaner Pad	Distance	61.5 Ft.																											
Vacuum		On Start																											
Cleaner Flow																													
In oil		100 %																											
Back lane		25 %																											


Use #4 foams in center tanks, #6 foams in track tanks and #8 foams in outside tanks



Sénior Masculina, Ilusiona Paterna Valencia



DISTANCE:	43 FEET	VOLUME:	28.15 mL
RATIO:	3.24:1	FORWARD:	18.3 mL
DROP BRUSH:	38 FEET	REVERSE:	9.85 mL
TANKS:	KEGEL	PUMP:	50µL




#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	5	50	18	3	A- KEGEL	0 → 10	9,250
2	6L	6R	1	50	18	3	A- KEGEL	10 → 13	1,450
3	7L	7R	1	50	18	3	A- KEGEL	13 → 15	1,350
4	9L	8R	2	50	18	3	A- KEGEL	15 → 20	2,400
5	11L	9R	2	50	18	3	A- KEGEL	20 → 25	2,100
6	12L	9R	1	50	18	3	A- KEGEL	25 → 28	1,000
7	14L	12R	1	50	18	3	A- KEGEL	28 → 30	750
8	2L	2R	0	50	22	3	A- KEGEL	30 → 37	0
9	2L	2R	0	50	30	3	A- KEGEL	37 → 43	0

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	3	A - KEGEL	38 → 52	0
2	19L	19R	3	50	22	3	A - KEGEL	32 → 23	2,250
3	10L	11R	2	50	22	3	A - KEGEL	23 → 17	2,000
4	8L	9R	2	50	18	3	A - KEGEL	17 → 12	2,400
5	7L	7R	1	50	18	3	A - KEGEL	12 → 9	1,350
6	2L	2R	1	50	14	3	A - KEGEL	9 → 7	1,850
7	2L	2R	0	50	14	3	A - KEGEL	7 → 0	0

REVERSE DROP BRUSH

Created Jan 17, 2024



PATTERNLIBRARY.KEGEL.NET

